

**Easy Platinum WUL**

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product Name Easy Platinum WUL
Product code 02024712
UFI code 3PQG-AGCJ-9TKH-1FEM

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Washing up liquid
Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer
Company Identification Easy Cleaning Solutions
Address of Manufacturer Brunel Way
Thetford
Norfolk
UK

Postal code IP24 1HF
Telephone: +44 (0)1842 757575
Fax Not known.
E-mail contact@easycleaningco.com
Office hours

Supplier
Company Identification Easy Cleaning Solutions
Address of Supplier Brunel Way
Thetford
Norfolk
UK

Postal code IP24 1HF
Telephone: +44 (0)1842 757575
Fax Not known.
E-mail contact@easycleaningco.com
Office hours

1.4 Emergency telephone number

Emergency Phone No. +44 (0)1842 757575 (Available Monday–Friday, 9:00 am–5:00 pm GMT/BST; UK office hours only)
Contact contact@easycleaningco.com
National response centre, NHS Direct +44 111 (24 hours/ 7 days)

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567
Skin Irrit. 2 :Causes skin irritation.
Eye Irrit. 2: Causes serious eye irritation.
Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.

2.2 Label elements

Product Name According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567
Easy Platinum WUL

Hazard Pictogram(s)



GHS07

Signal Word(s)

Warning

**Easy Platinum WUL****Hazard Statement(s)**

H315: Causes skin irritation.
H319: Causes serious eye irritation.
H412: Harmful to aquatic life with long lasting effects.
EUH208: Contains Perfume. May produce an allergic reaction.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
P337+P313: If eye irritation persists: Get medical advice/attention.
P501: Dispose of contents/container in accordance with local regulations.

2.3 Other hazards

Contains: 15-30% Anionic surfactants, 5-15% Amphoteric Surfactants, Perfume.
Also contains: 1,2-benzisothiazol-3(2H)-one 1,2-benzisothiazolin-3-one, 2-methyl-2H isothiazol-3-one

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	931-534-0	10-15	Skin Irrit. 2 H315 Eye Dam. 1 H318	GHS05 GHS07
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	68891-38-3	500-234-8	5-10	Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Chronic 3 H412	GHS05 GHS07
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	97862-59-4	931-296-8	1-5	Eye Dam. 1 H318 Aquatic Chronic 3 H412	GHS05
Amines, C12-14-alkyldimethyl, N-oxides	308062-28-4	608-528-9	1-5	Acute Tox. 4 H302 Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 2 H411	GHS05 GHS07 GHS09
bronopol (INN)2-bromo-2-nitropropane-1,3-diol	52-51-7	200-143-0	<0.01	Acute Tox. 4 H302 Acute Tox. 4 H312 Skin Irrit. 2 H315 Eye Dam. 1 H318 STOT SE 3 H335 Aquatic Acute 1 H400	GHS05 GHS07 GHS09
2-methylisothiazol-3(2H)-one	2682-20-4	220-239-6	<0.01	Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1B H314 Skin Sens. 1A H317 Eye Dam. 1 H318 Acute Tox. 2 H330 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS06 GHS05 GHS07 GHS09
1,2-benzisothiazol-3(2H)-one1,2-benzisothiazolin-3-one	2634-33-5	220-120-9	<0.01	Acute Tox. 4 H302 Acute Tox. 2 H330 Skin Irrit. 2 H315	GHS05 GHS07 GHS09



Easy Platinum WUL

				Skin Sens. 1A H317 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	
--	--	--	--	---	--

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit		M-factor	ATE
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	Skin Irrit. 2	C> 38.00 <= 100.00		
		Skin Irrit. 2	C> 5.00 <= 38.00		
		Skin Irrit. 2	C>= 5.00 <= 100.00		
		Eye Dam. 1	C> 38.00 <= 100.00		
		Eye Irrit. 2	C> 5.00 <= 38.00		
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	68891-38-3	Skin Irrit. 2	C>= 5.00 <= 10.00		
		Eye Dam. 1	C>= 10.00 <= 100.00		
Amines, C12-14-alkyldimethyl, N oxides	308062-28-4			M-Factor (Acute aquatic toxicity): 1	Acute Tox. 4 (H302) :500.000
bronopol (INN)2-bromo-2-nitropropane-1,3-diol	52-51-7			Aquatic Acute 1: 10	Acute Tox. 4 (H302) : 500 Acute Tox. 4 (H312) : 1100
2-methylisothiazol-3(2H)-one	2682-20-4	Skin Sens. 1A	C>= 0.0015 <= 100.00	Aquatic Acute 1: 10	Acute Tox. 3 (H301) : 100 Acute Tox. 3 (H311) : 300 Acute Tox. 2 (H330) : 0.5
1,2-benzisothiazol-3(2H)-one1,2-benzisothiazolin-3-one	2634-33-5	Skin Sens. 1	C>= 0.036 <= 100.00		Acute Tox. 4 Oral (H302) : 450 Acute Tox. 2 Inhalation (H330): 0.21 mg/L (dusts or mists)

Contains no non-classified vPvB substances.
For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation
Skin Contact

Allow affected person to breathe fresh air. Allow the victim to rest.
Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see Medical Advice on this label).

Eye Contact

Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

Ingestion

Rinse mouth out with water. In all cases of doubt, or when symptoms persist, seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin

**Easy Platinum WUL**

reaction. Allergic contact dermatitis.

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable Extinguishing media

As appropriate for surrounding fire.

Unsuitable extinguishing media

None.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

As appropriate for surrounding fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Avoid contact with skin, eyes or clothing.

6.2 Environmental precautions

This material and its container must be disposed of in a safe way.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

For personal protective measures, see Section 8. Do not get in eyes. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

None known.

7.3 Specific end use(s)

Washing up liquid

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters****8.1.1 Occupational Exposure Limits**

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Sodium hydroxide	1310-73-2				2	

Region
United Kingdom

Source
UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark

Notes

8.2 Exposure controls

8.2.1. Appropriate engineering controls

Ensure adequate ventilation. A washing facility/water for eye and skin cleaning

**Easy Platinum WUL**

8.2.2. Personal protection equipment	purposes should be present.
Eye Protection	Not normally required when used as intended. Avoid contact with eyes. Avoid splashing.
Skin protection	Protective gloves are not normally required under normal conditions of use. For prolonged or repeated contact, or for individuals with sensitive skin, wear suitable protective gloves (e.g. EN 374). Refer to glove manufacturer for breakthrough time.
Respiratory protection	Normally no personal respiratory protection is necessary.
Thermal hazards	None known.
8.2.3. Environmental Exposure Controls	Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Physical state	Liquid.
Colour	Clear Green Viscous liquid.
Odour	Characteristic.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	Not known.
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	= 7.25.
Kinematic Viscosity	1200 - 1600 cPs @ 20°C
Solubility	Solubility (Water) : Completely soluble in water. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	Relative density : 1.032 – 1.052
Relative vapour density	Not known.
Particle characteristics	Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Product information**

Acute toxicity - Ingestion	Calculation method : Not classified.
Acute toxicity - Skin Contact	Calculation method : Not classified.
Acute toxicity - Inhalation	Calculation method : Not classified.
Skin corrosion/irritation	Calculation method : Causes skin irritation.

**Easy Platinum WUL**

Serious eye damage/irritation
Skin sensitization data
Respiratory sensitization data
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
Lactation
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

Bridging principles (substantially similar mixtures): Causes serious eye irritation.
Calculation method : Not classified.
Calculation method : Not classified.
Calculation method : Not classified.
Calculation method : Not classified.
Calculation method : Not classified.
Calculation method : Not classified.
Calculation method : Not classified.
Calculation method : Not classified.
Calculation method : Not classified.

Component information

Component information where relevant and available are provided below:

Skin corrosion/irritation and serious eye damage/irritation

Product/ingredient name	Result	Remarks	Species	Methods
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Irritant		Rabbit	OECD 404
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Non-irritant	Acute eye irritation/corrosion study	Rabbit	OECD 405
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)- alkene, sodium salts	Irritant	Risk of serious damage to eyes	Rabbit	OECD 405
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)- alkene, sodium salts	Irritant	Irritating to skin	Rabbit	OECD 404

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity - Aquatic invertebrates
Toxicity - Fish
Toxicity - Algae
Toxicity - Sediment Compartment
Toxicity - Terrestrial Compartment

Harmful to aquatic life with long lasting effects (CLP summation method).
Not known.
Not known.
Not known.
Not classified.
Not classified.

12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential**Product information:**

The product is not expected to accumulate.

Component information:

Component information where relevant and available are provided below:

**Easy Platinum WUL****Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides:**

Bioaccumulation : Remarks: The bioaccumulation potential is expected to be low.
Partition coefficient: n-octanol/water: log Pow: 2,7 (20 °C)

12.4 Mobility in soil

The product is water-soluble.

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse site.

European List of Waste (LoW) code

20 01 29* - detergents containing dangerous substances

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number or ID number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances Not listed
of Very High Concern for Authorisation

UK REACH Authorisation List (Annex XIV) list of substances subject to
authorisation

UK REACH Restrictions List (Annex XVII) Not listed

Restrictions on the manufacture, placing
on the market and use of certain
dangerous substances, mixtures and

**Easy Platinum WUL**

articles

UK REACH Rolling Action Plan (RAP) Not listed

The Persistent Organic Pollutants Not listed

Regulations 2007 (SI 2007/3106) as amended

The Ozone-Depleting Substances and Not listed

Fluorinated Greenhouse Gases

(Amendment etc.) (EU Exit) Regulations

2019 (SI 2019/583)

The Prior Informed Consent (PIC) Not listed

Regulations concerning the export and

import of hazardous chemicals

SI2008/2108 as amended

European Regulations - Authorisations and/or Restrictions On Use

Community Rolling Action Plan (CoRAP) Amines, C12-14-alkyldimethyl, N-oxides (308062-28-4) [Status: Withdrawn]

Seveso Directive

None known.

15.2 Chemical Safety Assessment

United Kingdom

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS07

GHS05: GHS: Corrosion

GHS06: GHS: Skull and crossbones

GHS09: GHS: Environment

Hazard classification

Acute Tox. 3 : Acute toxicity, Category 3

Acute Tox. 4 : Acute toxicity, Category 4

Acute Tox. 3 : Acute toxicity, Category 3

Acute Tox. 4 : Acute toxicity, Category 4

Skin Corr. 1B : Skin corrosion/irritation, Category 1B

Skin Irrit. 2 : Skin corrosion/irritation, Category 2

Skin Sens. 1 : Skin sensitization, Category 1

Skin Sens. 1A : Skin sensitization, Category 1A

Eye Dam. 1 : Serious eye damage/irritation, Category 1

Acute Tox. 2 : Acute toxicity, Category 2

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1

Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1

Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s)

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H330: Fatal if inhaled.

**Easy Platinum WUL**

H335: May cause respiratory irritation.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.
H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
P264: Wash hands and exposed skin thoroughly after handling.
P272: Contaminated work clothing should not be allowed out of the workplace.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352: IF ON SKIN: Wash with plenty of water.
P321: Specific treatment (see Medical Advice on this label).
P332+P313: If skin irritation occurs: Get medical advice/attention.
P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
P362+P364: Take off contaminated clothing and wash it before reuse.
P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DNEL : Derived No Effect Level
EC : European Community
EINECS : European Inventory of Existing Commercial Chemical Substances
LTEL : Long term exposure limit
PBT : Persistent, Bioaccumulative and Toxic
PNEC : Predicted No Effect Concentration
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
STEL : Short term exposure limit
STOT : Specific Target Organ Toxicity
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567

Training Advice

Regular safety training as appropriate

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Easy Cleaning Solutions gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Easy Cleaning Solutions accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

The skin and/or eye classification of this product was derived using bridging principles (such as dilution, interpolation within one hazard category or substantially similar mixtures; with or without expert judgement) following Article 9(3) and Article 9(4) of Regulation (EC) No 1272/2008. DetNet logging number: 1973.