



Easy Thick Bleach Original

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Easy Thick Bleach Original
Product code 02016683
UFI code R43S-15N0-0RKf-FHS2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Bleach
Uses Advised Against Use only as stated on the label.

1.3 Details of the supplier of the safety data sheet

Manufacturer
Company Identification Easy Cleaning Solutions Ltd
Address of Manufacturer Brunel Way
Thetford
Norfolk
UK

Postal code IP24 1HF
Telephone: +44 (0)1842 757575
Fax Not known.
E-mail contact@easycleaningco.com
Office hours

Supplier of Safety Data Sheet
Company Identification Easy Cleaning Solutions Ltd
Address of Supplier Suite 110
Lombard Street
East Dublin 2
Ireland

Postal code DO2 HC78
Telephone: +353 15134806
Fax Not known.
E-mail contact@easycleaningco.com
Office hours

1.4 Emergency telephone number

Emergency Phone No. +44 (0)1842 757575 (Available Monday–Friday, 9:00 am–5:00 pm GMT/BST; UK office hours only)
Contact contact@easycleaningco.com
National response centre, NHS Direct +44 111 (24 hours/ 7 days)
NPIC (IE) +353 01 809 2166 (8.00 am – 10:00 pm / 7 days) Public Poisons Information Line
NPIC (IE) +353 01 809 2566 (24 hours / 7 days) doctors and healthcare professionals only
For NI, please contact your local GP

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Skin Corr. 1 :Causes severe skin burns and eye damage.
Skin Irrit. 2 :Causes skin irritation.
Eye Dam. 1 :Causes serious eye damage.
Aquatic Acute 1 :Very toxic to aquatic life.
Aquatic Chronic 2 :Toxic to aquatic life with long lasting effects.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)
Product Name Easy Thick Bleach Original
(Contains: Sodium Hypochlorite and Sodium Hydroxide)

**Easy Thick Bleach Original**

Hazard Pictogram(s)



GHS05



GHS09

Signal Word(s)

Danger

Hazard Statement(s)

H314: Causes severe skin burns and eye damage.
H410: Very toxic to aquatic life with long lasting effects.
EUH206: Warning! Do not use together with other products. May release dangerous gases (chlorine).

Precautionary Statement(s)

P102: Keep out of reach of children.
P264: Wash hands and exposed skin thoroughly after handling.
P273: Avoid release to the environment.
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER or doctor.
P501: Dispose of used up container in accordance with local regulations.

2.3 Other hazards

Detergents Info: <5% chlorine based bleaching agent, <5% anionic surfactant
Disinfectant: Sodium Hypochlorite (3.5g/100g).

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
sodium hypochlorite, solution ... % Cl active	7681-52-9	231-668-3	1-5	Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS05 GHS09
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	68891-38-3	500-234-8	1-5	Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Chronic 3 H412	GHS05 GHS07
sodium hydroxide caustic soda	1310-73-2	215-185-5	0.1-1	Skin Corr. 1A H314	GHS05

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE
sodium hypochlorite, solution ... % Cl active	7681-52-9		Aquatic Acute 1: 10 Aquatic	

**Easy Thick Bleach Original**

				Chronic 1: 1	
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	68891-38-3	Skin Irrit. 2	C>= 5.00 <= 10.00		
		Eye Dam. 1	C>= 10.00 <= 100.00		
sodium hydroxide caustic soda	1310-73-2	Skin Corr. 1A	C>= 5.00 <= 100.00		
		Skin Corr. 1B	C>= 2.00 < 5.00		
		Skin Irrit. 2	C>= 0.50 < 2.00		
		Eye Irrit. 2	C>= 0.50 < 2.00		

Contains no non-classified vPvB substances.

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

Inhalation

Immediately call a POISON CENTER/doctor.

Skin Contact

Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see Medical Advice on this label). Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER/doctor.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Ingestion

Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2 Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage. Causes skin irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). Immediately call a POISON CENTER/doctor. Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable Extinguishing media

As appropriate for surrounding fire.

Unsuitable extinguishing media

None.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Wear suitable protective clothing, gloves and eye/face



Easy Thick Bleach Original

6.2 Environmental precautions

protection.

Avoid release to the environment. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Collect spillage. Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands after working with the substance.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from acids. Use appropriate containment to avoid environmental contamination.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

None known.

7.3 Specific end use(s)

Bleach

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Sodium hydroxide	1310-73-2				2	

Region

Source

EU

EU Occupational Exposure Limits

United Kingdom

UK Workplace Exposure Limits EH40/2005 (Third edition, published 2018)

Ireland

Code of Practice for the Chemical Agents Regulations 2018, Ireland

Remark

Notes

Derived No Effect Level (DNEL)

Long term.

Chemical name	Worker - dermal, long-term - systemic	Worker - inhalative, long-term - systemic	Worker - dermal, long-term - local	Worker - inhalative, long-term - local



Easy Thick Bleach Original

Sodium Hypochlorite	-	1.55 mg/m ³	-	1.55 mg/m ³
Sodium Hydroxide	-	-	-	1 mg/m ³
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	2750 mg/kg/day	175 mg/m ³		

Chemical name	Consumer - oral, long-term - local	Consumer - inhalative, long-term - local	Consumer - dermal, long-term - local
Sodium Hypochlorite	-	1.55 mg/m ³	-
Sodium Hydroxide	-	1 mg/m ³	-

Chemical name	Consumer - oral, long-term - systemic	Consumer - inhalative, long-term - systemic	Consumer - dermal, long-term - systemic
Sodium Hypochlorite	0.26 mg/kg bw/day	1.55 mg/m ³	-
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	15 mg/kg/day	52 mg/m ³	1650 mg/kg/day

Derived No Effect Level (DNEL) Short term.

Chemical name	Worker - dermal, short-term - systemic	Worker - inhalative, short-term - systemic	Worker - dermal, short-term - local	Worker - inhalative, short-term - local
Sodium Hypochlorite	-	3.1 mg/m ³	-	-

Chemical name	Consumer - inhalative, short-term - local	Consumer - dermal, short-term - local
Sodium Hypochlorite	3.1 mg/m ³	-

Chemical name	Consumer - oral, short-term - systemic	Consumer - inhalative, short-term - systemic	Consumer - dermal, short-term - systemic
Sodium Hypochlorite	-	3.1 mg/m ³	-

Predicted No Effect Concentration (PNEC)

Chemical name	Fresh Water	Marine water	Intermittent release
Sodium Hypochlorite	0.00021 mg/L	0.000042 mg/L	0.00026
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	0.24 mg/L	0.024 mg/L	-

Chemical name	Freshwater	Marine sediment	Sewage treatment	Soil	Food chain
---------------	------------	-----------------	------------------	------	------------

**Easy Thick Bleach Original**

	sediment				
Sodium Hypochlorite	-	-	4.69 mg/L	-	11.1 mg/kg food
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	5.45 mg/L	0.545 mg/kg	10 g/L	0.946 mg/kg	10000 mg/l

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment
Eye Protection



Wear eye protection with side protection (EN166). Avoid contact with eyes.



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374). Avoid contact with skin.



Respiratory protection

Normally no personal respiratory protection is necessary.



Thermal hazards

None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Appearance	Liquid.
Colour	Yellow
Odour	Slight chlorine
Odour threshold	Not known.
pH	> 12.
Melting point/freezing point	Not known.
Initial boiling point and boiling range	Not known.
Flash Point	Not known.
Evaporation rate	Not known.
Flammability (solid, gas)	Not known.
Upper/lower flammability or explosive limits	Not known.
Vapour pressure	Not known.
Vapour density	Not known.
Density (g/ml)	1.072-1.092 g/ml
Relative density	Not known.
Solubility(ies)	Solubility (Water) : Not known. Solubility (Other) : Not known.
Partition coefficient: n-octanol/water	Not known.
Auto-ignition temperature	Not known.

**Easy Thick Bleach Original**

Decomposition Temperature (°C) Not known.
Viscosity 200-400 cP @ 20°C
Explosive properties Not known.
Oxidising properties Oxidises organic material and metals
9.2 Other information None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity None anticipated.
10.2 Chemical Stability Stable under normal conditions.
10.3 Possibility of hazardous reactions No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid None anticipated.
10.5 Incompatible materials Acids. Ammonia. Metals.
10.6 Hazardous decomposition products No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects****Product information**

Acute toxicity - Ingestion Not classified.
Acute toxicity - Skin Contact Not classified.
Acute toxicity - Inhalation Not classified.
Skin corrosion/irritation Calculation method : Causes skin irritation.
pH-based classification (CLP 3.2.3.1.2): Causes severe skin burns and eye damage.
Calculation method : Causes serious eye damage.
pH-based classification (CLP 3.2.3.1.2): Causes severe skin burns and eye damage.
Serious eye damage/irritation
Skin sensitization data Not classified.
Respiratory sensitization data Not classified.
Germ cell mutagenicity Not classified.
Carcinogenicity Not classified.
Reproductive toxicity Not classified.
Lactation Not classified.
STOT - single exposure Not classified.
STOT - repeated exposure Not classified.
Aspiration hazard Not classified.

Component information**Acute toxicity estimates**

Product/ingredient name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Hypochlorite	= 8.91 g/kg (Rat)	> 20000 mg/kg bw (OECD 402)	> 10.5 mg/L (Rat) 1 h
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	> 2000 mg/kg bw (OECD 401)	> 2000 mg/kg bw (OECD 402)	-

Skin corrosion/irritation and serious eye damage/irritation

**Easy Thick Bleach Original**

Product/ingredient name	Result	Remarks	Species	Methods
Sodium Hypochlorite	Slight irritant	-	Rabbit	OECD 404
Sodium Hypochlorite	Slight irritant		Guinea pig	OECD 404
Sodium Hypochlorite	Moderate irritant	-	Rabbit	OECD 404
Sodium Hypochlorite	Corrosive	Category 1B (H314), Category 1 (H318)	-	-
Sodium Hydroxide	Irritant	-	Rabbit	OECD 405
Sodium Hydroxide	Corrosive	In Vitro study	-	OECD 435
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Irritant		Rabbit	OECD 404
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Non-irritant	Acute eye irritation/corrosion study	Rabbit	OECD 405

11.2 Other information

Not known.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity****Product information**

Ecotoxicity

Summation method: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Component information

Substance data where relevant and available are listed below:

Product/ingredient name	Result	Species	Exposure	Remarks
Sodium hypochlorite				
	Acute LC50 0.032 mg/l Marine water	Fish - Oncorhynchus kisutch	96 h	
	Acute EC50 0.01 mg/l Fresh water	Daphnia - Daphnia magna	48 h	
	Acute LC50 56.4 mg/l Marine water	Crustaceans - Palaemonetes pugio	48 h	
	Acute EC50 0.67 mg/l Marine water	Algae - Phaeodactylum tricornutum	96 h	
	Chronic NOEC 0.5 mg/l Marine water	Algae - Isochrysis galbana	96 h	
	Chronic NOEC 0.1 mg/l Fresh water	Fish - Cyprinus carpio	30 d	
Sodium hydroxide				

**Easy Thick Bleach Original**

	Acute LC50 45 mg/l	Fish - Oncorhynchus mykiss	96 h	
	Acute EC50 40.5 mg/l	Daphnia – Ceriodaphnia sp.	48 h	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts				
	Acute LC50 7.1 mg/l (OECD 203)	Fish – Danio rerio	96 h	
	Acute EC50 7.4 mg/l (OECD 202)	Daphnia - Daphnia magna	48 h	Immobilization study
	Acute ErC50 27.7 mg/l (OECD 201)	Algae – Scenedesmus subspicatus	72 h	Growth rate study
	Chronic LNOEC 0.14 mg/l (OECD 215)	Fish - Oncorhynchus mykiss	28 d	
	Chronic NOEC 0.27 mg/l (OECD 211)	Daphnia - Daphnia magna	21 d	Reproduction study
	Chronic NOEC 0.95 mg/l (OECD 201)	Algae – Scenedesmus subspicatus	72 h	Growth rate study

12.2 Persistence and degradability

Product information: No data is available on the mixture. Substance data where relevant and available are listed below:

Component	Biodegradation	Exposure time	Summary
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	>=77%	28 d	Readily biodegradable

Conclusion/summary: The surfactants used in this mixture are readily biodegradable.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential

Product information: No data is available on the mixture. Substance data where relevant and available are listed below:

Product/ingredient name	Partition coefficient	BCF	Potential
Sodium hypochlorite	-3.42	-	low

Conclusion/summary: No bioaccumulation is expected.

12.4 Mobility in soil



Easy Thick Bleach Original

No data available for mixture.

Component information

Adsorption

Soil/Sediment Sorption – Log Koc

Product/ingredient name	Organic carbon-water partition coefficient (KOC)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	0.34

12.5 Results of PBT and vPvB assessment

The substances used in this mixture are neither a PBT- or a vPvB substance.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Not known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

UN No. 1791

14.2 UN proper shipping name

UN proper shipping name HYPOCHLORITE SOLUTION

14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class 8

ADR Classification Code C9

Special Provisions 521

Limited Quantities 5 L

Excepted Quantities E1

**Easy Thick Bleach Original**

Emergency Action Code	2X
Mixed Packing Instructions for Packages	P001 IBC02 LP01 R001
Special Packing Provisions for Packages	B5
Mixed Packing Instructions for Packages	MP19
Packing Instructions for Portable Tanks	T4
Special Provisions for Portable Tanks	TP2 TP24
Tank Code for Tanks	L4BV(+)
Special Provisions for Tanks	TU42 TE11
Vehicle for Tank Carriage	AT
ADR Transport Category	3
Tunnel Restriction Code	E
Special Provisions for Carriage - Packages	
Special Provisions for Carriage - Bulk	
Special Provisions for Carriage - Loading, Unloading and Handling	
Special Provisions for Carriage - Operation	
ADR HIN	80
IMDG	
IMDG Class	8
Special Provisions	521
Limited Quantities	5 L
Excepted Quantities	E1
Mixed Packing Instructions for Packages	P001 IBC02 LP01 R001
Special Packing Provisions for Packages	B5
Packing Instructions for Portable Tanks	T4
Special Provisions for Portable Tanks	TP2 TP24
IMDG EMS	F-A, S-B
Stowage and Handling	Category B
Segregation	SGG8 SG20
Marine Pollutant	
ICAO/IATA	
IATA Proper Shipping Name	HYPOCHLORITE SOLUTION
Excepted Quantities	E1
Passenger and Cargo Aircraft Limited Quantities Packing Instructions	Y841
Passenger and Cargo Aircraft Limited Quantities Max net Qty	1L
Passenger and Cargo Aircraft Packing Instructions	852
Passenger and Cargo Aircraft Max net Qty	5L
Cargo Aircraft Packing Instructions	856
Cargo Aircraft Max net Qty	60L
Special Provisions	A3 A803
Emergency Response Guidebook (ERG) Code	8L
Labels	
Labels	8

**14.4 Packing group**

Packing group III

14.5 Environmental hazards

**Easy Thick Bleach Original**

ADR	IMDG	IATA
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: Yes

Environmentally hazardous substances derogation applies (quantity of liquids ≤ 5 litres or net mass of solids ≤ 5 kg). The environmentally hazardous substance mark is therefore not required, as stated in the ADR regulation, section 5.2.1.8.1.

14.6 Special precautions for user

Special precautions for user Not known.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Not listed

Community Rolling Action Plan (CoRAP) Not listed

Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS05



GHS09

GHS07: GHS: Exclamation mark

Hazard classification

Skin Corr. 1 : Skin corrosion/irritation, Category 1

Skin Corr. 1A : Skin corrosion/irritation, Category 1A

Skin Corr. 1B : Skin corrosion/irritation, Category 1B



Easy Thick Bleach Original

Skin Irrit. 2 : Skin corrosion/irritation, Category 2
Eye Dam. 1 : Serious eye damage/irritation, Category 1
Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1
Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1
Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2
Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s)

H314: Causes severe skin burns and eye damage.
H315: Causes skin irritation.
H318: Causes serious eye damage.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.
H411: Toxic to aquatic life with long lasting effects.
H412: Harmful to aquatic life with long lasting effects.
EUH206: Warning! Do not use together with other products. May release dangerous gases (chlorine).

Precautionary Statement(s)

P102: Keep out of reach of children.
P260: Do not breathe dust/fume/gas/mist/vapours/spray.
P264: Wash hands and exposed skin thoroughly after handling.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER/doctor.
P321: Specific treatment (see Medical Advice on this label).
P363: Wash contaminated clothing before reuse.
P391: Collect spillage.
P405: Store locked up.

Acronyms

P501: Dispose of contents in accordance with local, state or national legislation.
ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS : Chemical Abstracts Service
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DNEL : Derived No Effect Level
EC : European Community
EINECS : European Inventory of Existing Commercial Chemical Substances
IATA : International Air Transport Association
IBC : Intermediate Bulk Container
ICAO : International Civil Aviation Organization
IMDG : International Maritime Dangerous Goods
LTEL : Long term exposure limit
PBT : Persistent, Bioaccumulative and Toxic
PNEC : Predicted No Effect Concentration
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail
STEL : Short term exposure limit
STOT : Specific Target Organ Toxicity
UN : United Nations
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS Regulation (EC) No. 1272/2008 (CLP)

Training Advice

Regular safety training as appropriate

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves



SAFETY DATA SHEET

Date of Issue:

29-07-2020

Date of Revision:

10-02-2026

Easy Thick Bleach Original

of the suitability of the product for their own particular purpose. Easy Cleaning Solutions gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Easy Cleaning Solutions accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.